Elevator Usage

(Freight and other large deliveries)

The building is equipped with three freight elevators. Freight cars # 5 and #6 service all floors. Freight car # 23 services all floors excluding the 3rd and 41st floor food service floors. There is no Floor 2. These elevators may be used to move small deliveries during regular dock hours.

Deliveries to be made outside regular dock access hours must be scheduled in advance with the Building Management Office. To schedule dock access, please contact Building Management at **amber.woodruff@cbre.com**.

Minimum 4-Hour freight reservation: \$300 estimate Extra hours past 4-Hour Mark: \$75/hour estimate

The dimensions of the freight elevators are as follows:

Freight Car #5

Door opening: 54" W Interior Dimensions: 72" W x 120" D x 144" H Load Capacity: 6,000 lbs

Freight Car #6

Door opening: 54" W Interior Dimensions: 72" W x 120" D x 144" H Load Capacity: 6,000 lbs

Freight Car #23

Door opening: 54" W Interior Dimensions: 72" W x 120" D x 144" H Load Capacity: 6,000 lbs

- Service Car Local 150 Operators must be asked to manage loading of large/heavy loads to ensure even distribution of weight (including passengers traveling with heavy loads).
- Loading of service elevators with fork trucks (manual or powered) must be managed carefully to ensure side and/or back walls are not struck during loading. Any damage must be reported immediately.
- If at ANY time any elevator is striking or scraping as it travels, the elevator must be removed from service immediately to allow Mitsubishi personnel to correct the cause of such impacts.
 Please contact Security Control Room immediately (use call button located on elevator control panel) to

report any issues or elevator damage.